

10/17/08
Snick Soda


3

*Note: For scale purposes, the length of one side of one box on this paper will be used as $\frac{1}{2}$ cm. Exact measurements have been done with a ruler on the other sheet.

Solution

To calculate the volume of the liquid in this bottle, I divided the bottle into 3 separate basic shapes. Then I simply added the volumes of each shape together.

First Shape:
"Neck"




This is a cylinder with height 2cm and radius 1 cm.

$$V(\text{cylinder}) = \pi r^2 h$$

$$V(\text{Neck}) = \pi (1^2) (2) = 2\pi \text{ cm}^3$$

Second Shape:
"Upper Body"



This is a half-sphere with radius 3 cm

$$V(\text{Sphere}) = \frac{4}{3} \pi r^3$$

$$V(\text{Upper Body}) = \left(\frac{1}{2}\right) \left(\frac{4}{3}\right) \pi (3^3)$$

$$= 18\pi \text{ cm}^3$$

Third Shape
"Lower Body"

This is a cylinder
with $r = 3$ and
height = $9\frac{1}{2}$

$9\frac{1}{2}$ cm

So the volume
is

$$\pi(3^2)(9\frac{1}{2}) = 85.5\pi \text{ cm}^3$$

6 cm

To get the total volume of the liquid in the bottle, I add the 3 shapes together.

$$2\pi \text{ cm}^3 + 18\pi \text{ cm}^3 + 85.5\pi \text{ cm}^3 = \boxed{105.5\pi \text{ cm}^3}$$

This answer makes sense to me given the overall dimensions of the bottle.

This problem was easy, especially because I was given formulas for volume.

regarding the accuracy of my answer, I believe it is an overestimate for 2 reasons.

① The radius I used in each calculation was too high by about $\frac{1}{10}$ of a cm. I used round numbers to make as easy as possible for someone to be able to focus on following my processes, without getting wrapped up in calculations.

*
adjustments
to
the
radius
#1

② My approximation does not take into account that the very bottom of the bottle curves in, not making it a perfect cylinder.

So, the actual volume of the liquid is probably closer to about 103 cm^3 .